

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

### SMALLPOX IN THE UNITED STATES-Continued.

### Reports Received During Week Ended Sept. 13, 1912.

Places.	Date.	Cases.	Deaths.	Remarks.
Colorado: Counties— Boulder Mesa.	Aug. 1–31do	1 1		
Total for State		2		
New Jersey: County— Hudson	Aug. 1–31	1		
South Dakota: County— Walworth	July 1-31	7		
Oklahoma: Counties— Beaver Canadian Le Flore Woodward.	dodo	1 1 1 1		
Total for State		4		
Utah: Counties— Beaver. Boxelder Carbon. Davis. Salt Lake Sevier. Uinta Utah. Wasatch Weber.	dododododododo	7 1 4 2 39 1 1 10 7		
Total for State		81		
Vermont: .Counties— Caledonia Essex	Aug. 1-31do.	2 2		
Total for State		4		
Grand total		99		

### MORBIDITY AND MORTALITY.

# MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED AUG. 24, 1912.

	Population, United States census 1910.	Total deaths from all causes.	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
Cities.			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md Boston, Mass Chicago, Ill Cleveland, Ohio. New York, N. Y Philadelphia, Pa St. Louis, Mo	2, 185, 283 560, 663 4, 766, 883 1, 549, 008	190 215 616 1,310 395 213	9 17 72 35 177 32 21	10 3 10 5 1	7 27 33 10 104 10 6	3 8	6 10 109 14 51 34 2	9 1 3 2	53 59 133 16 327 91 42	18 20 62 7 166 48 18	60 19 29 3 136 46 26	10 1 2  19 8 1

### MORBIDITY AND MORTALITY-Continued.

Morbidity and mortality tables for certain diseases, cities of United States, for week ended Aug. 24, 1912—Continued.

Cities.	Popula- tion, United	Total deaths	Dip ther		Measles.		Scarlet fever.			ber- osis.	Ty pho feve	id
G101001	States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 300,000 to 500,000 inhabitants.					*							The sound have
Buffalo, N. Y. Cincinnati, Ohio. Detroit, Mich. Los Angeles, Cal. Milwaukee, Wis. Newark, N. J. New Orleans, La. San Francisco, Cal. Washington, D. C.	423,715 364,463 465,766 319,198 373,857 347,469 339,075 416,912 331,069	137 122 162 81 110 96 133 106 106	3 7 17 1 6 18 2 4 2	3	28 5 3 6 1 6		1 5 8 2 16 3 2	1 1	5 18 25 16 44 19 14 23	3 17  12 8 9 14 8 10	10 5 8 2 6 4 11 31	1 4 1 2 2 1
Cities having from 200,000 to 300,000 inhabitants.  Jersey City, N. J	267,779 248,381 224,326	70	1 16		<u>.</u> 1 1		 1 10		 2 7	7 4 13	 5 12	2
Cities having from 100,000 to 200,000 inhabitants.  Bridgeport, Conn. Cambridge, Mass. Columbus, Ohio. Dayton, Ohio. Fall River, Mass.	102, 054 104, 839 181, 548 116, 577 119, 295	26 17 59	3 9 6 4	1 1	i		1 5 1 5		4 7 2	2 9 2 5 4	3 28 2 3	 i
Grand Rapids, Mich Lowell, Mass. Nashville, Tenn. Oakland, Cal. Omaha, Nebr Richmond, Va. Spokane, Wash Toledo, Ohio. Worcester, Mass.	112, 571 106, 294 110, 364 150, 174 124, 096 127, 628 104, 402 168, 497 145, 986	37 32 35 35 40 52 16 58 38	1 1 1 2 2 2 2 6	····· ···· ··· ···	1		6 1 2 1 2		1 3 3 2 1 6	1 1 1 3 6 9 1 1 3	5 1 10 3 1 11 10 10 2	1 1
Cities having from 50,000 to 100,000 inhabitants.  Altoona, Pa. Bayonne, N. J. Brockton, Mass. Camden, N. J. Duluth, Minn. Elizabeth, N. J. Evansville, Ind. Fort Wayne, Ind. Harrisburg, Pa. Hartford, Conn. Hoboken, N. J. Johnstown, Pa. Kansas City, Kans. Lawrence, Mass. Lynn, Mass. Manchester, N. H. New Bedford, Mass Reading, Pa. Saginaw, Mich. San Antonio, Tex. Schenectady, N. Y. South Bend, Ind. Springfield, Mass. Trenton, N. J. Wilkes-Barre, Pa. Wilmington, Del. Yonkers, N. Y.	52, 127 55, 545 56, 878 94, 538 78, 466 73, 409 69, 647 63, 933 64, 186 98, 915 70, 324 55, 482 82, 331 85, 892 89, 366 70, 063 96, 652 96, 071 50, 510 96, 614 72, 826 88, 926 96, 815 67, 105 87, 411 79, 803	20 	2 2 1 1 1 2 2 7 7 1 1 1 1 1 1 1 1 1 1 2 2	1	2 4 2 3 1 9 6 5		1 1 3 1 1 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1 1 1 1 3 1		5 1 3 1 1 2 2 8 1 6	1 3 3 4 4 1 1 2 2 2 1 1 1 1 7 7 2 2 3 3	22 11 15 5 11 11 11 11 11 13 11 13 11 13 11	33
Cities having from 25,000 to 50,000 inhabitants.  Atlantic City, N. J. Aurora, Ill. Berkeley, Cal.	46, 150 29, 807 40, 434	15 5 11	12				1		3	3	22	.

### MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality tables, for certain diseases, cities of the United States, for week ended August 24, 1912—Continued.

	Popula- tion, United	Total deaths	Dip ther		Meas	iles.	Scarlet fever.		Tuber- culosis.		Ty- phoid fever.	
Cities.	States census 1910.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 25,000 to 50,000 inhabitants—Contd.									-			
Binghamton, N. Y. Brookline, Mass. Chattanoga, Tenn Chelsea, Mass Chicopee, Mass Danville, Ill. Elmira, N. Y El Paso, Tex. Everett, Mass Fitchburg, Mass. Haverhill, Mass Knoxville, Tenn La Crosse, Wis. Lancaster, Pa Lynchburg, Va Montgomery, Ala. Mount Vernon, N. Y Newcastle, Pa. Newport, Ky Newton, Mass Niagrar Falls, N. Y Norristown, Pa Orange, N. J. Passdena, Cal Pittsfield, Mass Portsmouth, Va Racine, Wis. Roanoke, Va. Rockford, Ill. Salem, Mass South Omaha, Nebr Superior, Wis Taunton, Mass Wheeling, W. Va Wilmington, N. C. Zanesville, Ohio. Cities having less than 25,000	48, 443 27, 792 44, 604 32, 452 25, 401 27, 871 37, 176 38, 279 33, 484 37, 826 44, 115 36, 346 30, 919 36, 280 30, 309 39, 806 30, 445 27, 875 29, 630 30, 291 32, 121 33, 190 38, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 802 34, 803	13 17 20 7 7 5 8 9 12 12 10 5 	1 1 2 2 2	1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	1 1 1 1 5 5 1 1 1 1 1 1 1 1 1 1 1 1 1 1		3 3 3 1 2 2 1 1	2 2	3 1 2 4	1
inhabitants.  Alameda, Cal. Ann Arbor, Mich Biddeford, Me Braddock, Pa Butler, Pa Cambridge, Ohio. Carbondale, Pa Clinton, Mass. Columbus, Ind. Coffeyville, Kans. Concord, N. H. Cumberland, Md. Dunkirk, N. Y. Galesburg, Ill. Harrison, N. J. Kearney, N. J. La Fayette, Ind. Marinette, Wis. Marlboro, Mass. Massillon, Ohio Medford, Mass. Moline, Ill. Mortistown, N. J. Morristown, N. J. Morristown, N. J. Nonticoke, Pa. Newburyport, Mass. North Adams, Mass. Northadams, Mass. Northadams, Mass.	23, 833 14, 817 17, 079 17, 759 20, 728 11, 327 17, 040 13, 075 12, 687 21, 497 21, 839 14, 498 18, 659 20, 081 14, 610 14, 579 23, 150 16, 715 24, 199 22, 150 12, 507 18, 857 19, 240 22, 019	9 4 4 4 5 4 4 4 3 5 8 1 8 6 3 5	1		1		1		1 1 1 1 1 1 1 1	1 2	2 2 4 1 1 1 3 3	

#### MORBIDITY AND MORTALITY-Continued.

Morbidity and mortality tables, for certain diseases, cities of the United States, for week ended August 24, 1912—Continued.

Population, United States census 1910.	tion,	Total deaths	Diph- theria.		Measles.		Scarlet fever.		Tuber- culosis.		Ty pho feve	id
	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
Cities having less than 25,000 inhabitants—Contd.												
Plainfield, N. J. Saratoga Springs, N. Y. South Bethlehem, Pa. Steelton, Pa. Warren, Pa. Wilkinsburg, Pa. Woburn, Mass.	14, 246	4 6 7 4 4 3 5	1		2				1	1		

## STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

Iowa.—Month of June, 1912. Population, 2,224,771. Total number of deaths from all causes 1,521, including diphtheria 3, scarlet fever 2, smallpox 1, tuberculosis 103, typhoid fever 13.

MINNESOTA.—Month of May, 1912. Population, 2,075,708. Total number of deaths from all causes 1,769, including diphtheria 15, measles 1, scarlet fever 9, tuberculosis 242, typhoid fever 19.

New Jersey.—Month ended August 10, 1912. Population, 2,537,167. Total number of deaths from all causes 3,453, including diphtheria 37, measles 20, scarlet fever 16, tuberculosis 355, typhoid fever 19.

OREGON.—Month of April, 1912. Population 672,765. Total number of deaths from all causes 554, including diphtheria 1, scarlet fever 5, tuberculosis 58, typhoid fever 7. Cases reported: Diphtheria 16, measles 49, scarlet fever 62, smallpox 40, tuberculosis 20, typhoid fever 12.

Month of May, 1912. Total number of deaths from all causes 477, including diphtheria 4, measles 1, scarlet fever 2, tuberculosis 48, typhoid fever 4. Cases reported: Diphtheria 22, measles 55, scarlet fever 59, smallpox 79, tuberculosis 12, typhoid fever 12.

Month of June, 1912. Total number of deaths from all causes 381, including tuberculosis 45, typhoid fever 5. Cases reported: Diphtheria 9, measles 28, scarlet fever 35, smallpox 60, tuberculosis 20, typhoid fever 17.

Utah.—Month of July, 1912. Population 373,357. Total number of deaths from all causes 232, including diphtheria 1, scarlet fever 1, tuberculosis 6, typhoid fever 4. Cases reported: Diphtheria 14, measles 71, scarlet fever 40, smallpox 81, tuberculosis 3 (incomplete), typhoid fever 53.